

# elipson® | INFINITE in-ceiling 6/8

ENCEINTE ENCASTRABLE HAUT DE GAMME

Discrétion, richesse spectrale et puissance sont les maîtres mots des INF 6 & 8.

Reprenant les codes esthétiques des IN-CEILING, ces enceintes encastrables pour mur et plafond se veulent beaucoup plus abouties par leur rendu sonore et vous permettent de sonoriser de grands espaces, d'offrir une qualité digne d'un home-cinéma à votre intérieur, voire compléter en Atmos les enceintes In/On Wall de la fameuse gamme Infinite.

Développées en 2 voies coaxial, les enceintes INF 6 et 8 sont dotées d'un haut-parleur médium-grave de respectivement 16 cm et 20 cm en fibres de carbone initié par les Infinite 8 & 12, offrant un médium riche ainsi que des basses profondes et précises.

Les tweeters à dôme titane de 19 mm et 25 mm, orientables de 30° dans toutes les directions, participent à la richesse harmonique.



INF 6



INF 8



### TECHNIQUE

#### INF 6

**Type**

Enceinte encastrable plafond

**Puissance**

100 W

**Haut-parleur**

Coaxial 2 voies  
Grave - médium 160 mm : fibre de carbone  
+ mousse polyméthacrylamide (PMI)  
Tweeter : dôme titane 19 mm orientable  
de 30° dans toutes les directions.

**Réponse en fréquence**

60 Hz - 30 kHz

**Sensibilité**

88 dB / 1W / 1m

**Impédance**

8 Ω

**Fréquence de coupure**

3200 Hz

#### INF 8

**Type**

Enceinte encastrable plafond

**Puissance**

130 W

**Haut-parleur**

Coaxial 2 voies  
Grave - médium 200 mm : fibre de carbone  
+ mousse polyméthacrylamide (PMI)  
Tweeter : dôme titane 25mm orientable  
de 30° dans toutes les directions.

**Réponse en fréquence**

45 Hz - 30 kHz

**Sensibilité**

89 dB / 1W / 1m

**Impédance**

8 Ω

**Fréquence de coupure**

2500 Hz

### FINITIONS

**Couleur**

Blanc (prêt à peindre)

**Couleur**

Blanc (prêt à peindre)

### DIMENSIONS POIDS

**Dimensions**

Ø237 mm x P100 mm

**Dimensions de découpe**

Ø212 mm

**Poids**

1,75 kg

**Dimensions**

Ø272 mm x P114 mm

**Dimensions de découpe**

Ø246 mm

**Poids**

2,42 kg

### PACKAGING

**Dimensions packaging**

L x H x P : 290 x 145 x 285 mm

**Poids brut**

2,3 kg

**Dimensions packaging**

L x H x P : 330 x 165 x 320 mm

**Poids brut**

3,2 kg

### CODES PRODUITS

**SKU**

ELIINFIC6

**EAN**

3700795192863

**SKU**

ELIINFIC8

**EAN**

3700795192870

# elipson® | INFINITE in-ceiling 6/8

HIGH END IN-CEILING LOUDSPEAKERS

Discret design,  
spectral richness  
and power handling  
are the key words of  
the INF 6 & 8 .

Taking up the aesthetic codes of the IN-CEILING, these in-wall and in-ceiling loudspeakers are much more accomplished by their sound rendering and allow you to provide sound in large spaces, to offer a quality worthy of a home quality to your interior, or even complete in Atmos the In/On Wall loudspeakers of the famous Infinite range

Developed in 2 way coaxial, the INF 6 and 8 speakers are equipped with a 6" and 8" carbon fiber bass-midrange driver respectively, initiated by the Infinite 8 & 12, offering a rich midrange and deep, accurate bass.

The 3/4" and 1" titanium dome tweeters which can be rotated by 30° in all directions, contribute to the richness of the sound.



INF 6



INF 8



### TECHNICAL

#### INF 6

**Type**  
In-ceiling loudspeaker

**Power**  
100 W

**Drive units**  
2 way coaxial  
Mid-bass : 6" carbon fiber  
with polymethylacrylamide foam (PMI)  
Tweeter : 3/4" titanium dome orientation  
30° in all directions.

**Frequency response (±3dB)**  
60 Hz - 30 kHz

**Sensitivity**  
88 dB/ 1W / 1m

**Impedance**  
8 Ω

**Crossover frequency**  
3200 Hz

**Couleur**  
White (ready for painting)

**Dimensions**  
Ø237 mm x D100 mm

**Cut-out dimensions**  
Ø212 mm

**Weight**  
1,75 kg

**Packaging dimensions**  
W x H x D : 290 x 145 x 285 mm

**Gross weight**  
2,3 kg

**SKU**  
ELIINFIC6

**EAN**  
3700795192863

#### INF 8

**Type**  
In-ceiling loudspeaker

**Power**  
130 W

**Drive units**  
2 way coaxial  
Mid-bass : 8" carbon fiber  
with polymethylacrylamide foam (PMI)  
Tweeter : 1" titanium dome  
orientation 30° in all directions.

**Frequency response (±3dB)**  
45 Hz - 30 kHz

**Sensitivity**  
89 dB / 1W / 1m

**Impedance**  
8 Ω

**Crossover frequency**  
2500 Hz

**Couleur**  
White (ready for painting)

**Dimensions**  
Ø272 mm x D114 mm

**Cut-out dimensions**  
Ø246 mm

**Weight**  
2,42 kg

**Packaging dimensions**  
W x H x D : 330 x 165 x 320 mm

**Gross weight**  
3,2 kg

**SKU**  
ELIINFIC8

**EAN**  
3700795192870

### FINISHES

### DIMENSIONS WEIGHT

### PACKAGING

### PRODUCT CODES